

[54] **MALE SANITARY DEVICE**

[76] **Inventor:** Francis T. Feeney, No. 2 Windsor Ct., Lansdale, Pa. 19446

[**] **Term:** 14 Years

[21] **Appl. No.:** 421,520

[22] **Filed:** Sep. 22, 1982

[52] **U.S. Cl.** D24/49; D24/50;
D24/51

[58] **Field of Search** D24/49, 50, 51, 54;
604/346, 347, 349, 351, 353, 358, 359, 385, 386,
392, 393, 395, 397, 398, 400, 401, 402; 128/1 R

[56] **References Cited**

U.S. PATENT DOCUMENTS

173,857	2/1876	Heaney	604/349
1,997,883	4/1935	Lesselbaum et al.	D24/49 X
2,796,865	6/1957	Reinhardt	604/347
4,031,897	6/1977	Graetz	604/347

Primary Examiner—Catherine E. Kemper
Attorney, Agent, or Firm—Joseph W. Molasky & Assocs.

[57] **CLAIM**

The ornamental design for a male sanitary device, substantially as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a male sanitary device, showing my new design and shown without the support belt for ease of illustration;

FIG. 2 is a right side elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is an isometric view of the male sanitary device shown with the support belt.




FIG. 1




FIG. 2





FIG. 3




FIG. 4

FIG. 6




FIG. 5




FIG. 7




FIG. 8

