

[54] DESIGN FOR A PACKING TRAY

[75] Inventor: Theodore W. Dickes, Old Saybrook, Conn.

[73] Assignee: Standard-Knapp, Inc., Portland, Conn.

[**] Term: 14 Years

[21] Appl. No.: 433,674

[22] Filed: Oct. 12, 1982

[52] U.S. Cl. D9/432; D9/456

[58] Field of Search 206/503, 44 R; 229/30, 229/32; D34/40; D9/431, 432, 430, 433, 415, 414, 456, 418; D7/37

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 265,630 8/1982 Wahlberg et al. D9/456
- D. 269,068 5/1983 Mann, Sr. D9/418 X
- 2,334,902 11/1943 Buttery 229/32
- 2,578,878 12/1951 Buttery 229/32

Primary Examiner—Robert C. Spangler
Attorney, Agent, or Firm—McCormick, Paulding & Huber


[57] CLAIM

The ornamental design for a packing tray, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a packing tray showing my new design;
 FIG. 2 is a top plan view;
 FIG. 3 is a side elevational view;
 FIG. 4 is a bottom plan view;
 FIG. 5 is an end elevational view;
 FIG. 6 is a top perspective view showing a modified form of my new design;
 FIG. 7 is a top plan view;
 FIG. 8 is a side elevational view;
 FIG. 9 is a bottom plan view;
 FIG. 10 is an end elevational view;
 FIG. 11 is an elevational view showing the end opposite that seen in FIG. 10;
 FIG. 12 is a top perspective view showing another modified form of my new design;
 FIG. 13 is a top plan view;
 FIG. 14 is a side elevational view;
 FIG. 15 is a bottom plan view; and
 FIG. 16 is an end elevational view thereof.

The broken lines in the drawings represent score lines which facilitate removal of regions of the end panels.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16