

[54] **INCONTINENCE ELECTRIC STIMULATOR**

4,296,760 10/1981 Carlsson et al. 128/788

[75] **Inventors:** Bo H. Hakanson, Lund, Sweden;
Henning Lyngberg, Kopenhagen K., Denmark

[73] **Assignee:** Landskrona Finans AB, Sweden

[**] **Term:** 14 Years

[21] **Appl. No.:** 471,060

[22] **Filed:** Mar. 1, 1983

[30] **Foreign Application Priority Data**

Sep. 1, 1982 [SE] Sweden 2091/82

[52] **U.S. Cl.** D24/41; D24/8

[58] **Field of Search** D24/36, 8; D13/11, 12, D13/40, 41; 128/421, 422, 783, 788

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 246,173 10/1977 Levin D24/36 X
- D. 254,934 5/1980 Walus D24/36
- D. 273,329 4/1984 Walus D24/41
- 4,207,904 6/1980 Greene 128/798

OTHER PUBLICATIONS

The Journal of Bone and Joint Surgery, vol. 29, No. 1 Jan. 1947, p. 241, Fig. 1.

Primary Examiner—A. Hugo Word
Assistant Examiner—Stella Reid
Attorney, Agent, or Firm—Lerner, David, Littenberg, Krumholz & Mentlik

[57] **CLAIM**

The ornamental design for an incontinence electric stimulator, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an incontinence electric stimulator showing our new design; FIG. 2 is a left side elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a perspective view thereof, looking from below.




Fig.1




Fig.2



Fig.3




Fig.4




Fig.5




Fig.6




Fig.7

