

United States Patent [19]

Oyamada

[11] Patent Number: **Des. 281,975**

[45] Date of Patent: **** Dec. 31, 1985**

[54] **RADIO RECEIVER**

[75] Inventor: **Takashi Oyamada, Tokyo, Japan**

[73] Assignee: **NEC Corporation, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **530,827**

[22] Filed: **Sep. 9, 1983**

[30] **Foreign Application Priority Data**

Mar. 15, 1983 [JP] Japan 58-10662

[52] U.S. Cl. **D14/70; D14/6; D14/68; D14/95**

[58] Field of Search **D14/1, 5, 6, 52, 68, D14/70-76, 95**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 249,689 9/1978 Wisherd et al. D14/95 X

D. 269,088 5/1983 Genaro et al. D14/52

D. 273,010 3/1984 Hamada et al. D14/68

D. 278,628 4/1985 Fukasawa et al. D14/6 X

3,070,748 12/1962 Worobey et al. D14/68

Primary Examiner—Jane E. Corrigan
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak and Seas

[57] **CLAIM**

The ornamental design for a radio receiver, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a radio receiver showing my new design;

FIG. 2 is a rear elevational view thereof;


FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and

FIG. 7 is a front, top and right side perspective view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5




FIG. 6





FIG. 7