

[54] **BACK FOR A SAFETY SEAT**

[75] **Inventor:** Thomas W. Roney, Battle Creek, Mich.

[73] **Assignee:** Clark Equipment Company, Buchanan, Mich.

[\*\*] **Term:** 14 Years

[21] **Appl. No.:** 520,159

[22] **Filed:** Aug. 4, 1983

[52] **U.S. Cl.** ..... D6/502

[58] **Field of Search** ..... D6/333, 356, 367, 500, D6/501, 502; 297/274, 275, 243

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 227,828 7/1973 Heyl et al. .... D6/372 X
- D. 250,977 2/1979 Powers ..... D6/360
- 3,922,030 11/1975 Stedman .

*Primary Examiner*—Bruce W. Dunkins  
*Attorney, Agent, or Firm*—Marmaduke A. Hobbs

[57] **CLAIM**

The ornamental design for a back for a safety seat, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a back for a safety seat, embodying the present design;


FIG. 2 is a top plan view of the safety seat back assembly shown in FIG. 1;

FIG. 3 is a front elevational view of a safety seat back assembly shown in the preceding figures;

FIG. 4 is an elevational view of the safety seat back assembly showing the side opposite that shown in FIG. 1; and

FIG. 5 is a rear elevational view of the safety seat back assembly shown in the preceding figures.

The portions shown in broken lines are for illustrative purposes only.






Fig. 2




Fig. 3




Fig. 4




Fig. 5

