

[54] COMBINED CLOSURE AND HOOK THEREFOR

[75] Inventor: Edward L. Paas, Minneapolis, Minn.

[73] Assignee: Minnesota Mining and Manufacturing Company, Saint Paul, Minn.

[**] Term: 14 Years

[21] Appl. No.: 433,739

[22] Filed: Oct. 12, 1982

[52] U.S. Cl. D9/436

[58] Field of Search D9/436, 453, 454; 206/806; 215/200, 228, 100 R

[56] References Cited

U.S. PATENT DOCUMENTS

D. 226,839	5/1973	Jennings	D9/436
2,804,203	8/1957	Harkness et al.	215/228 X
3,240,384	3/1966	Lermer	206/806 X
3,495,797	2/1970	Ganz	206/86 X
4,101,042	7/1978	Strong et al.	215/228 X
4,373,632	2/1983	Van Zandt	206/806 X

Primary Examiner—Bernard Ansher



Assistant Examiner—Linda Titolo
Attorney, Agent, or Firm—Donald M. Sell; James A. Smith; William L. Huebsch

[57] CLAIM

The ornamental design for a combined closure and hook therefor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined closure and hook therefor showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a right side view thereof, the left side view being a mirror image of the right side view;
FIG. 4 is a rear view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a perspective view of a second embodiment of the combined closure and hook, illustrated in FIG. 1;
FIG. 8 is a front view thereof;
FIG. 9 is a right side view thereof, the left side being a mirror image thereof;
FIG. 10 is a rear view thereof;
FIG. 11 is a top plan view thereof; and
FIG. 12 is a bottom plan view thereof.






FIG. 1




FIG. 5




FIG. 6




FIG. 2




FIG. 3




FIG. 4




FIG. 7




FIG. 11




FIG. 12




FIG. 8




FIG. 9




FIG. 10