

# United States Patent [19]

Inaba

[11] Patent Number: **Des. 282,067**

[45] Date of Patent: **\*\* Jan. 7, 1986**

[54] **PUSH BUTTON**

[75] Inventor: **Hiroshi Inaba, Yokohama, Japan**

[73] Assignee: **Nippon Tsushin Kogyo Kabushiki Kaisha, Kanagawa, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **490,145**

[22] Filed: **Apr. 29, 1983**

[30] **Foreign Application Priority Data**

Dec. 24, 1982 [JP] Japan ..... 57-57464

[52] U.S. Cl. .... **D14/59**; 200/340

[58] Field of Search ..... **D14/59**; D13/38;  
200/328, 329, 340; 116/172; 179/90 K, 179;  
400/490, 491, 491.1, 491.2, 492, 493

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 121,273	7/1940	Davis	.....	D8/353
D. 202,043	8/1965	Cox, Jr.	.....	D8/353
D. 212,093	8/1968	DeSmidt	.....	D13/38
D. 214,990	8/1969	Mellyn	.....	D8/353
D. 215,548	10/1969	Baumanis	.....	D13/38
D. 219,382	12/1970	Blaha et al.	.....	D13/38
D. 237,803	11/1975	Klaiber et al.	.....	D14/59
D. 268,928	5/1983	Ohashi et al.	.....	D13/38
2,415,297	2/1947	Linton	.....	200/340
3,305,677	2/1967	Bou	.....	116/279
3,691,985	9/1972	Otterlei	.....	116/279
3,996,428	12/1976	Buan et al.	.....	116/279
4,242,545	12/1980	Schweitzer	.....	200/328
4,273,980	6/1981	Rogero	.....	200/328

4,291,201	9/1981	Johnson et al.	.....	179/90 K
4,328,399	5/1982	Perks et al.	.....	179/90 K
4,368,368	1/1983	Russenberger	.....	200/328
4,386,240	5/1983	Philipp et al.	.....	179/90 K
4,404,436	9/1983	Ohba	.....	200/328
4,408,109	10/1983	Nat	.....	200/328

**FOREIGN PATENT DOCUMENTS**

832358 4/1960 United Kingdom ..... 200/340

**OTHER PUBLICATIONS**

"Solico", Sorenson Lighted Controls, Inc., Showing of Indication Lights.

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—Horace B. Fay

*Attorney, Agent, or Firm*—Burns, Doane, Swecker & Mathis

[57] **CLAIM**

The ornamental design for a push button, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a push button showing my new design;

FIG. 2 is a bottom plan view thereof;




FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;


FIG. 5 is a side elevational view thereof showing one side;

FIG. 6 is a side elevational view thereof showing an opposite side;


FIG. 7 is a perspective view thereof showing the bottom, rear and one side.



*Fig. 1*



*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*

