United States Patent [19]

Taylor

[11] **Patent Number: Des. 282,076**

[45] **Date of Patent: ** Jan. 7, 1986**

[54] **CRUSHER UNIT FOR NUTS, CANS, OYSTERS SHELLS OR THE LIKE**

[76] Inventor: **George F. Taylor,** P.O. Box 625, Moultrie, Ga. 31768

[**] Term: **14 Years**

[21] Appl. No.: **395,274**

[22] Filed: **Jul. 6, 1982**

[52] **U.S. Cl.** **D15/123;** D7/98

[58] **Field of Search** D15/123; D7/98; 99/571, 99/581, 582, 583; 30/120.2; 100/293, 295, 902

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,571,214	10/1951	Dale	D7/98
3,777,659	12/1973	McCarten	100/293
3,780,647	12/1973	Reimers	100/902
3,841,212	10/1974	Powell	99/571
4,143,595	3/1979	Carlson	100/902
4,345,518	8/1982	Cash et al.	100/293
4,345,519	8/1982	Sabino	100/902
4,345,520	8/1982	Goldsmith et al.	D15/123
4,394,834	7/1983	Lowe	100/902

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Newton, Hopkins & Ormsby

[57] **CLAIM**

The ornamental design for a crusher unit for nuts, cans, oysters shells or the like, substantially as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of the crusher unit for nuts, cans, oysters shells or the like showing my new design, embodied as a nut crusher;
FIG. **2** is a side elevational view of a second embodiment of the design of FIG. **1** embodied as a can crusher as if taken from the right of FIG. **1;** the only difference being the omission of the nut crushing attachment;
FIG. **3** is a front elevational view of FIG. **2;**
FIG. **4** is a rear elevational view of FIG. **2;**
FIG. **5** is a top plan view of FIG. **2;**
FIG. **6** is a bottom plan view of FIG. **2;**
FIG. **7** is a perspective view of a third embodiment of the design of FIG. **1** as embodied in an oyster shucker;
FIG. **8** is a side elevational view of a fourth embodiment of the design of FIG. **1** embodied as a can crusher as if taken from the rear of FIG. **7,** the only difference from FIG. **7** being the omission of the oyster shucking attachments;
FIG. **9** is a top plan view of FIG. **8;**
FIG. **10** is a bottom plan view of FIG. **8;**
FIG. **11** is an end elevational view taken from the right of FIG. **8;**
FIG. **12** is an end elevational view taken from the left of FIG. **8;**
FIG. **13** is an enlarged perspective view of the nut crushing attachment of FIG. **1,** shown separately for clarity of illustration;
FIG. **14** is an end elevational view of FIG. **13;**
FIG. **15** is a top plan view of FIG. **13;**
FIG. **16** is a bottom plan view of FIG. **13;**
FIG. **17** is a side elevational view of FIG. **13;**
FIG. **18** is a sectional view taken in the direction of the arrows on line **18—18** of FIG. **15;**
FIG. **19** is an enlarged end elevational view of the blade element of the oyster shucking attachment of FIG. **7,** again shown separately for clarity of illustration;
FIG. **20** is a side elevational view taken from the right of FIG. **19;**
FIG. **21** is a side elevational view taken from the left of FIG. **19;**
FIG. **22** is a sectional view taken in the direction of the arrows on line **22–22** of FIG. **21;**
FIG. **23** is a top plan view of FIG. **20;**
FIG. **24** is a top plan view of FIG. **21;**
FIG. **25** is an enlarged end elevational view of the holder element of the oyster shucking attachment of FIG. **7,** shown separately for ease of illustration;
FIG. **26** is a side elevational view taken from the right of FIG. **25;**
FIG. **27** is a side elevational view taken from the left of FIG. **25;**
FIG. **28** is a sectional view taken in the direction of the arrows on line **28—28** of FIG. **27;**
FIG. **29** is a bottom plan view of FIG. **26,** the top being a mirror image thereof.







FIG 1



FIG 2



FIG 3



FIG 4



FIG 5



FIG 6



FIG 7



FIG 8



FIG 11



FIG 9



FIG 10



FIG 12



FIG 13



FIG 14



FIG 15



FIG 16

FIG 17



FIG 18



FIG 19



FIG 20



FIG 21



FIG 22



FIG 23



FIG 24



FIG 25



FIG 26



FIG 27



FIG 28



FIG 29