

[54] SIMULATIVE RATTLE

[75] Inventor: Norman R. Emms, Welwyn Garden City, England

[73] Assignee: Hestair Kiddicraft, Surrey, England

[**] Term: 14 Years

[21] Appl. No.: 490,870

[22] Filed: May 2, 1983

[30] Foreign Application Priority Data

Oct. 22, 1982 [GB] United Kingdom 1009372

[52] U.S. Cl. D21/65; D21/161

[58] Field of Search D21/64, 65, 161; 446/418, 419, 420, 421, 422

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 238,804 2/1976 Holden D21/161
- D. 269,886 7/1983 Nakao et al. D21/65
- D. 275,581 9/1984 Nakao et al. D21/65
- 2,964,872 12/1960 Coleman D21/161

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—McCormick, Paulding & Huber

[57] CLAIM

The ornamental design for a simulative rattle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view from above and one side of a simulative rattle showing my new design.
 FIG. 2 is a rear perspective view from below and the other side.
 FIG. 3 is a side elevational view.
 FIG. 4 is a front elevational view.




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.

