

[54] AUDIO DOSIMETER FOR DETECTING NOISE LEVEL

[75] Inventor: David A. White, Folcroft, Pa.

[73] Assignee: E. I. Du Pont de Nemours and Company, Wilmington, Del.

[**] Term: 14 Years

[21] Appl. No.: 483,435

[22] Filed: Apr. 8, 1983

[52] U.S. Cl. D10/46

[58] Field of Search D13/12, 13, 32, 35, D13/37, 38, 40, 41; 174/52 R; 361/331, 332, 334, 346, 356-358, 379-381, 384, 390-395; D10/46

[56] References Cited

U.S. PATENT DOCUMENTS

D. 188,130 6/1960 Stuckrath D10/46

D. 193,781 10/1962 Hoogesteger et al. D10/46
D. 229,968 1/1974 Williams D10/46
D. 247,161 2/1978 Fernandez et al. D10/46
D. 269,697 7/1983 Graham et al. D13/40
4,113,980 9/1978 Bell 174/52 R

Primary Examiner—Wallace R. Burke

Assistant Examiner—Lynn Wilder


Attorney, Agent, or Firm—Hilmar L. Fricke

[57] CLAIM


The ornamental design for an audio dosimeter for detecting noise level, substantially as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of an audio dosimeter for detecting noise level showing my new design; FIG. 2 is a elevational view of one side, thereof, the other side being a mirror image; and FIG. 3 is a rear elevational view thereof.



F I G . 1



F I G. 2



F I G. 3

