

[54] COMBINED HANDLE AND ADAPTER FERRULE WITH TIGHTENING KNOB FOR GARDENING IMPLEMENTS

[75] Inventors: Franco Clivio, Ulm; Dieter Raffler, Neu-Ulm, both of Fed. Rep. of Germany

[73] Assignee: Gardena Kress & Kastner GmbH, Fed. Rep. of Germany

[**] Term: 14 Years

[21] Appl. No.: 467,389

[22] Filed: Feb. 17, 1983

[30] Foreign Application Priority Data

Aug. 17, 1982 [DE] Fed. Rep. of Germany GRAIII13548203

[52] U.S. Cl. D8/1

[58] Field of Search D8/1-13, D8/300, 301, 302, 307, 321, 395, 152; D13/32, 38; 16/110 R, 110 A, 114 R, DIG. 24, DIG. 21, DIG. 18; 294/49, 57, 55; 172/375, 400.17, 400.05; 56/400.01, 400.04, 400.21, 400.06

[56] References Cited

U.S. PATENT DOCUMENTS

D. 200,186	1/1965	Kelly	D23/28
D. 251,954	5/1979	Raffler et al.	D8/1
298,926	5/1884	Watson	172/381
338,652	3/1886	Weiss	16/DIG. 24
1,475,362	11/1923	Brackett	172/381
2,479,877	8/1949	Storm et al.	172/373
2,481,442	9/1949	Paul	56/400.17
2,497,192	2/1950	Thayer, Jr.	D8/13
2,836,032	5/1958	Melvin	56/400.17

2,847,816 8/1958 Yeda 56/400.17

OTHER PUBLICATIONS

Publ. 77/2437, Gardena Kress & Kastner; p. 126 of March Issue of Patent Journal, Clerian of South Africa [Handle 11/12 & Knob 31].

Publ. 77/2438, Gardena Kress & Kastner; p. 126 of March Issue of Patent Journal, Clerian of South Africa [Knob 31 on Handle].

"New 77 Gardena Combisystem," Handle and Knob Attachments on pp. 1, 3, 9, 12 & 13.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Horace B. Fay

Attorney, Agent, or Firm—Steele, Gould & Fried

[57] CLAIM

The ornamental design for combined handle and adapter ferrule with tightening knob for gardening implements, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of combined handle and adapter ferrule with tightening knob for gardening implements according to our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevation from the left with respect to FIG. 2, the opposite side being substantially a mirror image;

FIG. 4 is a rear elevation view;

FIG. 5 is a top plan view with respect to FIG. 2;

FIG. 6 is a bottom plan view; and,

FIG. 7 is an enlarged, left side, perspective view thereof, with the handle being shown fragmentally for expedient illustration, the view of the side opposite being a mirror image.



FIG. 1




FIG. 5

FIG. 2



FIG. 3



FIG. 4



FIG. 6







FIG. 7