

[54] CLOCK

[75] Inventor: Ari Kostios, Downsview, Canada

[73] Assignee: Aristo Designart Inc., Downsview, Canada

[\*\*] Term: 14 Years

[21] Appl. No.: 648,408

[22] Filed: Sep. 7, 1984

Related U.S. Application Data

[62] Division of Ser. No. 358,415, Mar. 15, 1982, Pat. No. Des. 276,982.

[30] Foreign Application Priority Data

Sep. 16, 1981 [CA] Canada ..... 16-09-81-10
[52] U.S. Cl. .... D10/25
[58] Field of Search ..... D10/1, 2, 21, 24, 25, D10/27; 368/276-278, 285, 280-282, 318

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 186,678 11/1959 Florian ..... D10/25
D. 209,978 1/1968 Katz ..... D10/25 X
D. 212,337 10/1968 Kretschmer et al. .... D10/25
D. 214,637 7/1969 Daher ..... D10/25
D. 216,406 12/1969 Hames ..... D10/24

OTHER PUBLICATIONS

Jewelers' Circular-Keystone Directory Issue, 6/28/72, p. 123—Wall Clock at top right.

Primary Examiner—Louis S. Zarfes






Attorney, Agent, or Firm—Rogers, Bereskin & Parr




[57] CLAIM



The ornamental design for a clock, as shown and described.

DESCRIPTION

FIG. 1 shows a front perspective view from one side and above of a clock, showing a first embodiment of my design;
FIG. 2 shows a rear perspective view from one side and below of the clock of FIG. 1;
FIG. 3 shows a detail, in section, of the clock of the first embodiment, along line 3—3 of FIG. 1;
FIG. 4 shows a front perspective view from one side and above of a clock, showing a second embodiment of my design;
FIG. 5 shows a front perspective view from one side and below of the clock of FIG. 4;
FIG. 6 shows a front perspective view from one side and above of a clock, showing a third embodiment of my design;
FIG. 7 shows a rear perspective view from one side and below of the clock of FIG. 6;
FIG. 8 shows a front perspective view from one side and above of a clock, showing a fourth embodiment of my design;
FIG. 9 shows a rear perspective view from one side and below of the clock of FIG. 8;
FIG. 10 shows a front perspective view from one side and above of a clock, showing a fifth embodiment of my design; and
FIG. 11 shows a rear perspective view, from one side and below of the clock of FIG. 10.











FIG. 8





FIG. 9

