United States Patent [19]

Dickhudt

[11] **Patent Number: Des. 282,968**

[45] **Date of Patent: ** Mar. 11, 1986**

[54] **TRANSCUTANEOUS ELECTRICAL NERVE STIMULATOR OR SIMILAR ARTICLE**

[75] Inventor: **Eugene A. Dickhudt,** New Brighton, Minn.

[73] Assignee: **Medtronic, Inc.,** Minneapolis, Minn.

[**] Term: **14 Years**

[21] Appl. No.: **510,021**

[22] Filed: **Jul. 1, 1983**

[52] **U.S. Cl.** **D24/41;** D24/36

[58] **Field of Search** D24/34, 36, 40, 41, D24/42; 128/419, 421, 422, 423

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 254,934	5/1980	Walus	D24/36
D. 256,393	8/1980	Walus et al.	D24/41
D. 256,394	8/1980	Walus et al.	D24/41
D. 261,551	10/1981	Boroda	D24/41
D. 261,552	10/1981	Boroda	D24/41
D. 273,329	4/1984	Walus	D24/41
D. 279,709	7/1985	Nightingale	D24/41
4,155,366	5/1979	Di Mucci	128/421
4,324,253	4/1982	Greene et al.	128/421

OTHER PUBLICATIONS

"A Progressive Approach To A Complex Problem, Neuromod ® Selectra TM (Instruction Manual) MC820029.

Instruction Manual entitled Introducing The Neuromod Complement TM : Now More Convenience and Simplicity in a Complete Range of TENS Treatment Alternatives from Medtronic–NE085.

Instruction Manual entitled "Introducing The Neuromod Complement TM –New Medtronic Brings you a Complete Range of TENS Devices–for True Convenience and Simplicity–NE084.

Instruction Manual entitled "A Low–Rate TENS Stimulator Doesn't Have To Be Second Rate In Patient Comfort—The Medtronic Comfort Burst TM NE–0328.

Primary Examiner—Catherine E. Kemper

Attorney, Agent, or Firm—Robert J. Klepinski; Joseph F. Breimayer; John L. Rooney

[57] **CLAIM**

The ornamental design for transcutaneous electrical nerve stimulator or similar article, as shown and described.

DESCRIPTION

FIG. **1** is a top front isometric view of a transcutaneous electrical nerve stimulator or similar article, showing my new design;

FIG. **2** is a bottom rear isometric view thereof;

FIG. **3** is a top front isometric view of the device open;

FIG. **4** is a bottom rear isometric view of the device open.



Fig. 1



Fig. 2



Fig. 3



Fig. 4