

[54] COMBINED LOCK AND HANDLE FOR A
DOOR, GATE OR THE LIKE

[76] Inventor: Arnold Östergren, Köpmansvägen,
430 17 Skällinge, Sweden

[**] Term: 14 Years

[21] Appl. No.: 542,059

[22] Filed: Oct. 14, 1983

[52] U.S. Cl. D8/338

[58] Field of Search D8/330, 338; 70/209,
70/210, 224; D8/302, 308; 292/347

[56] References Cited

U.S. PATENT DOCUMENTS

D. 179,417	12/1956	Greenwood		D8/308
D. 266,981	11/1982	Scholl		D8/308
1,965,789	7/1934	Anglyn		70/210
2,694,918	11/1954	Welch		70/210
3,985,008	10/1976	Hart		70/224
4,319,470	3/1982	White		70/224

OTHER PUBLICATIONS

General Lock, Inc., 1965, Cat. 66, Section #1, p. 1-2,
Cast Steel Lever, upper top of page.

Primary Examiner—B. J. Bullock
Assistant Examiner—Suzanne N. Gitlin

[57] CLAIM

The ornamental design for a combined lock and handle
for a door, gate or the like, substantially as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of a combined lock
and handle for a door, gate or the like showing my new
design;


FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a top plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6