

[54] BICYCLE HANDLEBAR CLAMP-CARRYING PROTUBERANCE FOR ENGAGEMENT BY A CARRIER BAG OR BASKET SUPPORT

[76] Inventor: Angel L. Rodriguez, 5627 University Way Northeast, Seattle, Wash. 98105

[**] Term: 14 Years

[21] Appl. No.: 533,910

[22] Filed: Sep. 19, 1983

[52] U.S. Cl. D12/114

[58] Field of Search D12/114; D8/396; 224/30 A, 136, 41; 248/62, 63, 74.4, 231.6, 316.6; 403/312

[56] References Cited

U.S. PATENT DOCUMENTS

D. 102,726 1/1937 Morgan D12/118
3,006,674 10/1961 Becker 248/62

OTHER PUBLICATIONS

American Bicyclist & Motorcyclist, 7/81, p. 62, Bicycle Stem, lower right center of page.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Ward Brown; Robert W. Beach

[57] CLAIM

The ornamental design for a bicycle handlebar clamp-carrying protuberance for engagement by a carrier bag or basket support, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a bicycle handlebar clamp-carrying protuberance for engagement by a carrier bag or basket support showing my new design; FIG. 2 is a side elevation view thereof; FIG. 3 is an end elevation view thereof taken from the left of FIG. 2; FIG. 4 is an end elevation view thereof taken from the right of FIG. 2; FIG. 5 is a top plan view thereof; FIG. 6 is a top perspective view of a bicycle handlebar clamp-carrying protuberance for engagement by a carrier bag or basket support showing a second embodiment of my new design; FIG. 7 is a side elevation view of the embodiment of FIG. 6; FIG. 8 is an end elevation view of the embodiment of FIG. 6 taken from the right of FIG. 7; FIG. 9 is a top perspective view of a bicycle handlebar clamp-carrying protuberance for engagement by a carrier bag or basket support showing a third embodiment of my new design; FIG. 10 is an end elevation view of the embodiment of FIG. 9 taken from the right of FIG. 9; FIG. 11 is a top plan view of the embodiment of FIG. 9; FIG. 12 is a top perspective view of a bicycle handlebar clamp-carrying protuberance for engagement by a carrier bag or basket support showing a fourth embodiment of my new design; FIG. 13 is a side elevation view of the embodiment of FIG. 12; and FIG. 14 is an end elevation view of the embodiment of FIG. 12 taken from the right of FIG. 13.






Fig. 1




Fig. 2




Fig. 5




Fig. 3



Fig. 4

Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14

