

[54] PHOTOGRAPHIC EXPOSURE CONTROL

[75] Inventor: Charles S. Blake, Tonawanda, N.Y.

[73] Assignee: Warner-Lambert Technologies, Inc.,
Morris Plains, N.J.

[**] Term: 14 Years

[21] Appl. No.: 555,305

[22] Filed: Nov. 25, 1983

[52] U.S. Cl. D16/39; D16/33

[58] Field of Search D16/33 X, 34, 35, 37,
D16/38, 39 X; 356/404, 443; 355/38, 67-71,
113-120

[56] References Cited

U.S. PATENT DOCUMENTS

D. 205,688	9/1966	Lakin	D16/38
D. 223,349	4/1972	Minas	D16/39
D. 230,355	2/1974	Van Den Broek	D16/39 X
D. 246,461	11/1977	Chapman	D16/39
3,001,459	9/1961	Wyckoff	356/443 X
3,011,388	12/1961	Baumbach	356/404

3,020,801	2/1962	Lander	356/443 X
3,246,334	4/1966	Devereaux	356/404
3,322,025	5/1967	Dauser	356/404
3,375,751	4/1968	Engburg	356/443
3,819,275	6/1974	Aimi	356/404
3,874,793	4/1975	Nielsen	355/68

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Alan H. Spencer; Stephen
Raines

[57] CLAIM

The ornamental design for a photographic exposure control, as shown and described.

DESCRIPTION

FIG. 1 is a rear and top-right perspective view of a photographic exposure control showing my new design;


FIG. 2 is a front and top-right perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left side elevational view thereof, the right side elevational view being a mirror image of FIG. 6.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6