

[54] HARNESS BUCKLE FOR PARACHUTES, SEAT EJECTION EQUIPMENT OR THE LIKE

[75] Inventor: John S. Martin, Denham, near Uxbridge, England

[73] Assignee: Engineering Patents & Equipment Limited, Jersey, Channel Islands

[**] Term: 14 Years

[21] Appl. No.: 490,162

[22] Filed: Apr. 29, 1983

[30] Foreign Application Priority Data

Nov. 2, 1982 [GB] United Kingdom 821009513

[52] U.S. Cl. D2/408; D2/405; D8/383; D8/394

[58] Field of Search D8/383, 356, 382, 394; 244/122 AD, 122 AE, 151 B; 24/164, 168, 170, 312, 313, 325; D2/408, 405

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|--------|-----------------|-----------|
| D. 188,897 | 9/1960 | Prete, Jr. | D2/408 |
| D. 200,772 | 4/1965 | Dahms | D2/408 |
| 2,977,655 | 4/1961 | Peters | 24/325 |
| 3,104,858 | 9/1963 | Cooper | 24/312 |
| 3,676,901 | 7/1972 | Monti | 24/170 |
| 3,737,126 | 6/1973 | Martin | 24/313 |
| 4,030,689 | 6/1977 | Rodriguez | 244/151 B |

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Spencer & Frank

[57] CLAIM

The ornamental design of a harness buckle for parachutes, seat ejection equipment or the like, substantially as shown.


DESCRIPTION

FIG. 1 is a top perspective view of a harness buckle for parachutes, seat ejection equipment or the like showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a right side elevational view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4