

- [54] TIRE
- [75] Inventors: Maurice Graas, Luxembourg; Joe Kneip, Ettelbruck, both of Luxembourg
- [73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio
- [**] Term: 14 Years
- [21] Appl. No.: 584,182
- [22] Filed: Feb. 27, 1984
- [30] Foreign Application Priority Data
- | | | |
|--------------------|---------|----------|
| Sep. 12, 1983 [XB] | Benelux | 30403-00 |
|--------------------|---------|----------|
- [52] U.S. Cl. D12/147
- [58] Field of Search D12/145-151, D12/136; 152/209 R, 209 D
- [56] References Cited
- U.S. PATENT DOCUMENTS
- | | | | |
|------------|--------|-------|-----------|
| D. 169,857 | 6/1953 | Klint | 152/209 D |
|------------|--------|-------|-----------|

D. 278,423 4/1985 Baus D12/147
1,130,578 3/1915 Dees 152/209 R

OTHER PUBLICATIONS

1970 Tread Design Guide, p. 179, All State Rock Service Excavator Tire, top left side of page.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—L. R. Drayer

[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof; and FIG. 4 is an enlarged fragmentary front plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4