

[54] SAFETY HOOK

[75] Inventor: Bengt F. A. Berg, Gemla, Sweden

[73] Assignee: Stallinabriken Bridon AB, Sweden

[\*\*] Term: 14 Years

[21] Appl. No.: 537,597

[22] Filed: Sep. 30, 1983

[52] U.S. Cl. .... D8/367

[58] Field of Search ..... D8/367; 24/231, 232 R, 24/241 R, 241 SP, 241 P, 241 PL, 241 S; 294/82 R, 83 R

3,940,173 2/1976 Ulbing ..... 294/82 R

FOREIGN PATENT DOCUMENTS

7900396 7/1979 World Intel. Prop. Org. ... 294/82 R

Primary Examiner—B. J. Bullock  
Attorney, Agent, or Firm—Harness, Dickey & Pierce

[57] CLAIM

The ornamental design for a safety hook, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a safety hook embodying the design. The opposite side of the design is identical to that shown in FIG. 1.

FIG. 2 is a side elevational view of the design.


FIG. 3 is a side elevational view thereof, showing the side opposite that shown in FIG. 2.




FIG. 4 is an enlarged front perspective view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 241,118 8/1976 Schreyer ..... D8/367
- 28,669 6/1860 Henshaw ..... 24/232
- 833,180 10/1906 Shadwell ..... 24/232





*Fig.4*

