

[54] **TIRE**

[75] **Inventors:** Hamish C. Walker, Aachen;  
Hans-Jürgen Vögler, Herzogenrath;  
Dionysius J. Poque, Aachen;  
Manfred Gerresheim, Würselen;  
Gerhard F. Senger, Roetgen-Rott, all  
of Fed. Rep. of Germany

[73] **Assignee:** Uniroyal Englebert Reifen GmbH,  
Aachen, Fed. Rep. of Germany

[\*\*] **Term:** 14 Years

[21] **Appl. No.:** 578,487

[22] **Filed:** Feb. 9, 1984

[30] **Foreign Application Priority Data**

Aug. 15, 1983 [DE] Fed. Rep. of Germany ..... MR 3325  
[52] **U.S. Cl.** ..... D12/146  
[58] **Field of Search** ..... D12/141-143,  
D12/146-151, 136; 152/209 R, 209 B, 209 D

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 273,856 5/1984 Vogler ..... D12/146

**OTHER PUBLICATIONS**

Modern Tire Dealer, Mid April 1983, p. 54, Semperit  
Hi-Speed Tire, second tire in from bottom left side of  
page.

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—Becker & Becker, Inc.

[57] **CLAIM**

The ornamental design of a tire, as shown and de-  
scribed.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new  
design, it being understood that the tread pattern is  
repeated throughout the circumference of the tire, as  
shown schematically by solid lines, the opposite side  
being the same as the side shown;  
FIG. 2 is an enlarged fragmentary side elevational view  
thereof; and  
FIG. 3 is an enlarged fragmentary plan view thereof.




FIG-1




FIG-2




FIG-3

