

[54] **FISHING ROD HOLDER**

[76] **Inventor: Robert J. Hoover, Rte. 7, Box 352A, Spartanburg, S.C. 29303**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 523,459**

[22] **Filed: Aug. 15, 1983**

[52] **U.S. Cl. .... D22/13**

[58] **Field of Search .... D22/13, 14, 22; 43/18 R, 21.2; 211/123; 248/530, 251**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 136,856	12/1943	Oloweeki	.....	D22/13
D. 143,952	2/1946	Curtis	.....	D22/13
D. 179,586	1/1957	Wise	.....	D22/13
D. 187,276	2/1960	Poglein	.....	D22/13
D. 190,330	5/1961	Carothers	.....	D22/13
D. 205,289	7/1966	Ring	.....	D22/13
D. 231,925	6/1974	Speigel, Jr.	.....	D22/13
D. 260,114	8/1981	Cecchetti	.....	D22/13
D. 267,031	11/1982	Hamlin	.....	D22/13
1,013,734	1/1912	Boyd	.....	
2,137,645	11/1938	Doench	.....	D22/13 X
2,184,192	12/1939	McCline et al.	.....	
2,293,305	8/1942	Oldham	.....	
2,423,933	7/1947	Gosh	.....	
2,564,625	8/1951	Jackson et al.	.....	
2,603,900	7/1952	Kellett	.....	
2,751,174	6/1956	Parker	.....	
2,990,642	7/1961	Bloom et al.	.....	
3,010,239	11/1961	Johnson	.....	
3,162,970	12/1964	Gould	.....	
3,306,560	2/1967	Wheeler	.....	
3,341,157	9/1967	Duncan	.....	D22/13 X
3,444,643	5/1969	Dobbs	.....	
3,519,234	7/1970	Matson	.....	

3,636,649	1/1972	Palva	.....
3,669,390	6/1972	Nielson	.....
3,835,568	9/1974	Whitfield	.....
3,945,143	3/1976	Schmitt, Sr.	.....
3,956,846	5/1976	Kent	.....
3,992,798	11/1976	Schmitt, Sr.	.....
4,095,364	6/1978	Prine	.....
4,156,982	6/1979	Phillips, Jr.	.....
4,236,339	12/1980	White	.....
4,344,248	8/1982	Brophy, Sr. et al.	.....
4,366,640	1/1983	Clapp	.....


*Primary Examiner—A. Hugo Word  
Attorney, Agent, or Firm—Dority & Manning*

[57] **CLAIM**

The ornamental design for a fishing rod holder, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a fishing rod holder embodying the design of the present invention.  
 FIG. 2 is a right side elevational view of the fishing rod holder illustrated in FIG. 1.  
 FIG. 3 is a rear elevational view of the fishing rod holder illustrated in FIG. 1.  
 FIG. 4 is a left side elevational view of the fishing rod holder illustrated in FIG. 1.  
 FIG. 5 is a front elevational view of the fishing rod holder illustrated in FIG. 1.  
 FIG. 6 is a top plan view of the fishing rod holder illustrated in FIG. 1.  
 FIG. 7 is a bottom plan view of the fishing rod holder illustrated in FIG. 1.  
 FIG. 8 is a right side isometric view of a further embodiment of a fishing rod holder embodying the design of the present invention.  
 FIG. 9 is a left side isometric view of the fishing rod holder illustrated in FIG. 8.






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.




FIG. 9.