

[54] SPHYGMOMANOMETER

[75] Inventor: Kunio Akiyama, Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 647,940

[22] Filed: Sep. 5, 1984

[30] Foreign Application Priority Data

Mar. 8, 1984 [JP] Japan ..... 59-9274

[52] U.S. Cl. .... D24/21

[58] Field of Search ..... D24/8, 17, 21, 99; D9/426; D10/46, 57, 75, 85, 100; D13/40-41; 128/900, 630, 635, 637, 660-663, 666-667, 672, 680-683, 687-689, 691-693, 696-698, 701, 706-707, 713; 73/748-750; 206/305-306; D18/7

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 262,907 2/1982 Koshino ..... D24/8
- D. 263,422 3/1982 Koshino ..... D24/8
- D. 273,370 4/1984 Eilert ..... D10/75
- D. 277,133 1/1985 Houlihan ..... D24/17
- D. 278,341 4/1985 Scheid ..... D18/7


Primary Examiner—Wallace R. Burke  
Assistant Examiner—Brian N. Vinson  
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for a sphygmomanometer, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of the sphygmomanometer showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a right side elevational view thereof; and  
FIG. 7 is a left side elevational view thereof.







**FIG\_1**




**FIG\_2**




**FIG\_3**



**FIG\_4**



**FIG\_5**



**FIG\_6**



**FIG\_7**