

[54] **LOADER TOOTH FOR A FRONT END LOADER**

[76] Inventor: Terry Voyce, Knektåsvägen 3 D, S-691 53 Karlskoga, Sweden

[\*\*] Term: 14 Years

[21] Appl. No.: 539,890

[22] Filed: Oct. 7, 1983

[30] **Foreign Application Priority Data**

Apr. 7, 1983 [SE] Sweden ..... 830969

[52] U.S. Cl. .... D15/29

[58] Field of Search ..... D15/10.11, 28, 29, 25; 37/141 R, 141 T, 142 R, 142 A

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 255,119 5/1980 Korpi ..... D15/29
- 3,426,459 2/1969 Petersen ..... 37/142 R
- 4,027,408 6/1977 Ramella et al. .... 37/141 T

**FOREIGN PATENT DOCUMENTS**

M1103 8/1982 Sweden .

*Primary Examiner*—B. J. Bullock

*Assistant Examiner*—Suzanne N. Gitlin

*Attorney, Agent, or Firm*—Pollock, Vande Sande & Priddy

[57] **CLAIM**

The ornamental design for a loader tooth for a front end loader, as shown and described.

**DESCRIPTION**


FIG. 1 is a side perspective view of a loader tooth for a front end loader showing my new design;

FIG. 2 is a side perspective view thereof, opposite that seen in FIG. 1;

FIG. 3 is a top perspective view thereof;

FIG. 4 is a perspective view taken from the left of FIG. 1.

FIG. 5 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5