

[54] **LOADER TOOTH FOR A FRONT END
LOADER**

[76] Inventor: Terry Voyce, Knektåsvägen 3 D,
S-691 53 Karlskoga, Sweden

[**] Term: 14 Years

[21] Appl. No.: 539,890

[22] Filed: Oct. 7, 1983

[30] **Foreign Application Priority Data**

Apr. 7, 1983 [SE] Sweden 830969

[52] U.S. Cl. D15/29

[58] Field of Search D15/10.11, 28, 29, 25;
37/141 R, 141 T, 142 R, 142 A

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 255,119 5/1980 Korpi D15/29
- 3,426,459 2/1969 Petersen 37/142 R
- 4,027,408 6/1977 Ramella et al. 37/141 T

FOREIGN PATENT DOCUMENTS

M1103 8/1982 Sweden .

Primary Examiner—B. J. Bullock

Assistant Examiner—Suzanne N. Gitlin

Attorney, Agent, or Firm—Pollock, Vande Sande &
Priddy

[57] **CLAIM**

The ornamental design for a loader tooth for a front end loader, as shown and described.

DESCRIPTION


FIG. 1 is a side perspective view of a loader tooth for a front end loader showing my new design;

FIG. 2 is a side perspective view thereof, opposite that seen in FIG. 1;

FIG. 3 is a top perspective view thereof;

FIG. 4 is a perspective view taken from the left of FIG. 1.

FIG. 5 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5