

[54] BASE MEMBER OF A DECK SOCKET OF A CARGO ANCHOR

[76] Inventor: Tsiung-Siung Tseng, No. 707, 3-4-28, Sakurazaka, Chuo-Ku, Fukuoka City 810, Japan

[**] Term: 14 Years

[21] Appl. No.: 520,044

[22] Filed: Aug. 3, 1983

[52] U.S. Cl. D8/382

[58] Field of Search D8/382, 330, 331; 410/111-113; 24/115 K, 590, 591, 663, 265 CD

[56] References Cited

U.S. PATENT DOCUMENTS

2,856,865 10/1958 Reynolds et al. 410/111
2,989,009 6/1961 Oakley 410/112
3,860,209 1/1975 Strecker 24/590
3,893,399 7/1975 Lewis et al. 410/112

4,400,856 8/1983 Tseng 24/590

Primary Examiner—B. J. Bullock

Assistant Examiner—Suzanne N. Gitlin

Attorney, Agent, or Firm—Millen & White

[57] CLAIM

The ornamental design for a base member of a deck socket of a cargo anchor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a base member of a deck socket of a cargo anchor showing my new design;


FIG. 2 is a bottom plan view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a right side elevational view thereof, the left side being identical;

FIG. 5 is a front elevational view thereof, the rear being identical;

FIG. 6 is a perspective view thereof, the broken lines showing the socket member are for illustrative purposes only.






FIG. 1




FIG. 2



FIG. 5



FIG. 4




FIG. 3




FIG.6