

[54] BELT BUCKLE

[76] Inventor: Alexis V. Kirk, 160 E. 38th St., New York, N.Y. 10016

[**] Term: 14 Years

[21] Appl. No.: 675,948

[22] Filed: Nov. 28, 1984

[52] U.S. Cl. D2/405

[58] Field of Search D2/405, 406, 414, 415, D2/419, 420, 421, 422, 431, 432, 434, 444, 442, 443; D11/14, 68, 76, 77, 78; 24/16 PB, 163 R, 163 K, 186, 187, 197, 198, 199, 200, 310, 312; 2/338, 339, 340, 322

[56] References Cited

U.S. PATENT DOCUMENTS

D. 79,903 11/1929 Nicholson D2/415

D. 121,956 8/1940 Holstein D2/420

Primary Examiner—Bernard Ansher
Assistant Examiner—Timothy M. Smith
Attorney, Agent, or Firm—Frishauf & Partners

[57] CLAIM

The ornamental design for belt buckle, as shown and described.

DESCRIPTION


FIG. 1 is a top plan view of the belt buckle embodying my new design, the bottom plan view being a mirror image;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side view thereof, the right side view being similar;

FIG. 4 is a rear elevational view thereof; and

FIG. 5 is a fragmentary front elevation showing the belt buckle in an open condition.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5