

[54] WIG ANCHOR

[75] Inventor: Nobuo Nemoto, Tokyo, Japan

[73] Assignee: Aderans Company, Ltd., Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 596,855

[22] Filed: Apr. 5, 1984

[52] U.S. Cl. .... D28/93; D28/39

[58] Field of Search ..... D28/9, 10, 39-43,  
D28/92, 93, 99; 132/1 R, 5, 9, 50 R, 52-54, 46  
R-48 A

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 272,861 2/1984 Incando ..... D28/93
- D. 278,940 5/1985 Incando ..... D28/93
- 3,699,978 10/1972 Holly ..... 132/53

4,155,370 5/1979 Nemoto ..... 132/53

Primary Examiner—Louis S. Zarfes  
Attorney, Agent, or Firm—Wegner & Bretschneider

[57] CLAIM

The ornamental design for a wig anchor, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wig anchor embodying my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a right side elevational view thereof;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a left side elevational view thereof;  
 FIG. 7 is a bottom plan view thereof; and  
 FIG. 8 is a perspective view of the stopper in closed position.





FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8

