

[54] **CRIMPING TOOL**

[75] **Inventors: Oryst P. Kurylo, Barberton; Martin C. Ignasiak, Painesville Township, Lake County, both of Ohio**

[73] **Assignee: A P Products Incorporated, Mentor, Ohio**

[**] **Term: 14 Years**

[21] **Appl. No.: 560,754**

[22] **Filed: Dec. 12, 1983**

[52] **U.S. Cl. D8/52; D8/32**

[58] **Field of Search D8/14, 32, 44, 51, 52, D8/55-57, 60, 98, 99, 104-107; 81/9.3, 9.4, 9.41-9.44, 423, 427, 427.5, 367-380; 30/90.1, 90.2, 90.4, 91.1, 91.2, 175; 72/409, 416; 7/107**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 204,492	4/1966	Bailey	D8/58
1,910,839	5/1933	Jensen	72/409
2,589,565	3/1952	Minton	81/427 X
2,963,053	12/1960	Ferm	81/427 X

3,057,233	10/1962	Turner	72/409
3,146,645	9/1964	Hindenburg et al.	81/9.43

FOREIGN PATENT DOCUMENTS

45440	1/1962	Poland	81/423
-------	--------	--------	-------	--------


Primary Examiner—Susan J. Lucas
Assistant Examiner—Clare E. Heflin
Attorney, Agent, or Firm—Renner, Otto, Boisselle & Lyon






[57] **CLAIM**

The ornamental design for a crimping tool, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of the crimping tool showing our new design;
FIG. 2 is a side elevational view thereof, the opposite side being identical;
FIG. 3 is a front end elevational view thereof;
FIG. 4 is a rear end elevational view thereof;
FIG. 5 is a sectional view thereof taken along line 5—5 of FIG. 1 the handle being shown broken away for illustrative purposes only; and
FIG. 6 is a perspective view thereof.








FIG. 6