

[54] BATTERY OPERATED KNIFE SHARPENER

[75] Inventors: Sigeru Kawai, Higasimurayama;
Masaru Komiya, Higasiyamato, both
of Japan

[73] Assignee: Kyusyu Hitachi Maxell, Ltd.,
Fukuoka, Japan

[**] Term: 14 Years

[21] Appl. No.: 459,958

[22] Filed: Jan. 21, 1983

[30] Foreign Application Priority Data

Jul. 22, 1982 [JP] Japan 58-33557

[52] U.S. Cl. D8/93

[58] Field of Search D8/91-93,
D8/35, 63; D16/6; 51/80 BS, 205 WG, 214;
76/82, 84, 86, 88, 82.2

[56] References Cited

U.S. PATENT DOCUMENTS

D. 162,768 4/1951 Anheuser D8/93

D. 202,799 11/1965 De Fano et al. D8/93
D. 237,832 11/1975 Winkler et al. D16/6
D. 259,492 6/1981 Swayze D16/6
1,837,352 12/1931 Willcox 51/80 BS
2,278,553 4/1942 Morrow 51/214

Primary Examiner—Susan J. Lucas

Assistant Examiner—C. E. Heflin

Attorney, Agent, or Firm—Antonelli, Terry & Wands.

[57] CLAIM

The ornamental design for a battery operated knife sharpener, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a battery operated knife sharpener showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

