

[54] **TRAVEL IRON**

[75] **Inventor: Norman A. Steinkamp, LaGrange Park, Ill.**

[73] **Assignee: John Zink Company, Tulsa, Okla.**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 600,748**

[22] **Filed: Apr. 16, 1984**

[52] **U.S. Cl. .... D32/70**

[58] **Field of Search .... D32/68-72;  
38/74-79, 88-93; 219/245-259, 271-276**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 275,042	8/1984	Stowell et al. ....	D32/70
D. 276,473	11/1984	Ogawa et al. ....	D32/70
D. 278,752	5/1985	Shalvoy et al. ....	D32/70
3,184,871	5/1965	D'Alessandro ....	38/77.8
3,229,392	1/1966	Canilleri ....	38/90
3,672,080	6/1972	Murphy et al. ....	38/90
3,766,673	10/1973	Hanoff ....	38/90

**FOREIGN PATENT DOCUMENTS**

2083082 3/1982 United Kingdom ..... 38/77.2

**OTHER PUBLICATIONS**

Sanyo Portable Iron Brochure—dated 7/81.


*Primary Examiner*—Catherine E. Kemper  
*Attorney, Agent, or Firm*—Neil M. Rose; Clifford A. Dean


[57] **CLAIM**

The ornamental design for travel iron, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of a travel iron showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a side elevational view thereof showing the side opposite the side shown in FIG. 1;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a front end elevational view thereof; and  
FIG. 6 is a rear end elevational view thereof.







*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig. 4*



*Fig. 5*



*Fig. 6*