

[54] TELEVISION RECEIVER

[75] Inventors: Toru Higashihara, Tokyo; Akira Takahashi, Sayama; Toru Kiyota, Tachikawa; Takashi Fujii, Hino, all of Japan

[73] Assignee: Hitachi, Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 575,692

[22] Filed: Jan. 31, 1984

[30] Foreign Application Priority Data

Sep. 9, 1983 [JP] Japan 58-39116

[52] U.S. Cl. D14/60

[58] Field of Search D14/77, 79, 80, 81, D14/83, 84, 1, 2, 3, 4, 5, 6, 71, 92, 99, 100; 312/7.2; 358/250, 254

[56] References Cited

U.S. PATENT DOCUMENTS

D. 194,955 4/1963 Harman D14/80

D. 238,511 1/1976 Boldt D14/80
D. 265,651 8/1982 Brion D14/80
D. 277,854 3/1985 Masuba D14/80
D. 278,629 4/1985 Mitani et al. D14/80

OTHER PUBLICATIONS

"High Fidelity", Sep. 1982, p. 36, top left of page.

Primary Examiner—Bernard Ansher

Assistant Examiner—Theodore M. Shooman

Attorney, Agent, or Firm—Antonelli, Terry & Wands

[57] CLAIM

The ornamental design for a television receiver, as shown.

DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a television receiver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a rear elevational view thereof; and FIG. 6 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

