

[54] COMBINED WATER BOTTLE CAGE,
MOUNTING BRACKET AND CLAMPING
STRAPS FOR HANDLEBAR MOUNTING

[76] Inventor: Michael W. Sinyard, 1344 Iris Ct.,
San Jose, Calif. 95125

[**] Term: 14 Years

[21] Appl. No.: 514,837

[22] Filed: Jul. 18, 1983

[52] U.S. Cl. D12/114; D12/158

[58] Field of Search D12/114, 158; D7/70;
224/36, 41, 30 A; 248/311.2

[56] References Cited

U.S. PATENT DOCUMENTS

D. 264,954 6/1982 Blackburn D12/114

OTHER PUBLICATIONS

Palo Alto Bicycles 1978-79 Catalog, p. 22, Lambertini
Steel Handlebar Cage, second box down from top left
side of page.

Bikeology Catalog, Spring 1979, p. 69, TA Deluxe
Handlebar Cage & Aluminum Cage & Bottle Set, center
of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Flehr, Hohbach, Test,
Albritton & Herbert

[57] CLAIM

The ornamental design for a combined water bottle

cage, mounting bracket and clamping straps for handle-
bar mounting, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined water bottle
cage, mounting bracket and clamping straps for handle-
bar mounting in accordance with my design;

FIG. 2 is a perspective view thereof in exploded condi-
tion, adapted for mounting to a handlebar of a bicycle
which is shown in broken lines for illustrative purposes
only;

FIG. 3 is an enlarged front elevation view of the water
bottle cage of the design shown independently for clar-
ity of illustration;

FIG. 4 is a side elevation view of FIG. 3;

FIG. 5 is a rear elevation view of FIG. 3;

FIG. 6 is a top plan view of FIG. 3;

FIG. 7 is a bottom plan view of FIG. 3;

FIG. 8 is an enlarged front elevation view of the mount-
ing bracket of the design shown independently for clar-
ity of illustration;

FIG. 9 is a side elevation view of FIG. 8;

FIG. 10 is a rear elevation view of FIG. 8;


FIG. 11 is a top plan view of FIG. 8;

FIG. 12 is a bottom plan view of FIG. 8;

FIG. 13 is an enlarged top plan view of one of the
clamping straps of the design in fully open condition
shown independently for clarity of illustration;

FIG. 14 is a side elevation view of FIG. 13; and

FIG. 15 is a side elevation view of the clamping strap
shown in FIG. 13 in closed condition.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15