
Fischer et al. Date of Patent: ** Aug. 26, 1986 [45] COMBINED ELECTRIC HOTPLATE AND [54] [56] References Cited MOUNTING SURFACE THEREFOR U.S. PATENT DOCUMENTS Karl Fischer; Felix Schreder, both of [75] D. 264,673 Inventors: D. 267,770 Oberderdingen, Fed. Rep. of Germany Primary Examiner—Catherine E. Kemper Attorney, Agent, or Firm-Steele, Gould & Fried E.G.O. Elektro-Gerate Blanc u. [73] Assignee: [57] CLAIM Fischer, Fed. Rep. of Germany The ornamental design for a combined electric hotplate 14 Years Term: and mounting surface therefor, as shown and described. **DESCRIPTION** [21] Appl. No.: 498,652 FIG. 1 is a top plan view of a combined electric hot-May 27, 1983 Filed: plate and mounting surface therefor, showing our new design; [30] Foreign Application Priority Data FIG. 2 is a side elevation of FIG. 1; FIG. 3 is a top perspective view of FIG. 1. Dec. 2, 1982 [DE] Fed. Rep. of Germany MR The interior of the cooking appliance forms no part of II/122BR U.S. Cl. D7/346; D7/407 the invention. [58] The inner and outer surfaces of the cooking appliance


base plate are flat.

Patent Number: Des. 285,280


United States Patent [19]

219/443, 445, 446, 447; 126/211, 214 A





F 1 G. 1



U.S. Patent Aug. 26, 1986 Sheet 2 of 2 Des. 285,280

