

[54] KEY TELEPHONE SET

[75] Inventor: Hiroshi Inaba, Kawasaki, Japan

[73] Assignee: Nitsuko Limited, Kawasaki, Japan

[**] Term: 14 Years

[21] Appl. No.: 461,102

[22] Filed: Jan. 26, 1983

[30] Foreign Application Priority Data

Jul. 28, 1982 [JP] Japan 57-33788

[52] U.S. Cl. D14/58; D14/53; D14/63

[58] Field of Search D14/52, 94, 53, 59, D14/56, 57, 60, 66, 58, 63, 64; 179/99, 99 LS, 178, 99 R, 100 D, 100 R, 179, 18 AD, 99 E, 99 M, 100 C

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 229,837 1/1974 Genaro et al. D14/53
- D. 260,643 9/1981 Foggia et al. D14/60 UX
- D. 265,734 8/1982 Mahan D14/53
- D. 269,674 7/1983 Hirota et al. D14/53

- D. 271,689 12/1983 Gerniers D14/58
- D. 273,381 4/1984 Abe et al. D14/53
- D. 275,751 10/1984 Mahan D14/53
- D. 277,663 2/1985 Sakamoto et al. D14/53



Primary Examiner—Wallace R. Burke
Assistant Examiner—Horace B. Fay
Attorney, Agent, or Firm—Roberts, Spieccens & Cohen

[57] CLAIM

The ornamental design for a key telephone set, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a key telephone set showing my new design;
 FIG. 2 is a plan view thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a right side view thereof;
 FIG. 5 is a rear view thereof;
 FIG. 6 is a left side view thereof; and
 FIG. 7 is also a perspective view thereof with its handset removed from the cradle in the stand and inverted and spaced to one side to show the underside of the handset and the cradle surfaces.
 The showing of a cord in abbreviated and fragmentary form is for convenience of illustration.









FIG. 1

FIG. 2








FIG. 5




FIG. 6




FIG. 7