

[54] PEDIATRIC LUMBAR PUNCTURE IMMOBILIZER

[76] Inventor: William R. Nesbitt, 6967 Blue Oak La., Loomis, Calif. 95650

[**] Term: 14 Years

[21] Appl. No.: 571,031

[22] Filed: Jan. 16, 1984

[52] U.S. Cl. D24/64

[58] Field of Search D24/64; 128/87 R, 87 B, 128/76 R, 133, 134 R, 135; 269/328

[56] References Cited

U.S. PATENT DOCUMENTS

3,253,589	5/1966	Shook	128/133
3,358,141	12/1967	Hoffmann et al.	269/328 X
3,933,154	1/1976	Cabansag	269/328 X
4,172,453	10/1979	Leckie	128/133
4,223,670	9/1980	Cramer	128/134


Primary Examiner—A. Hugo Word
Assistant Examiner—Stella M. Reid
Attorney, Agent, or Firm—Lothrop & West

[57] CLAIM

The ornamental design for a pediatric lumbar puncture immobilizer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a pediatric lumbar puncture immobilizer, showing my new design in looped position;
FIG. 2 is an end elevational view thereof on a reduced scale, the broken lines representing an infant in immobilized position is for illustrative purposes only and forming no part of the claimed design;
FIG. 3 is a top plan view thereof, showing the belt in partially developed position and with the Velcro ankle straps in looped and engaged position;
FIG. 4 is a bottom plan view thereof, showing the Velcro wrist straps in looped and engaged position;
FIG. 5 is an elevational view of one end thereof;
FIG. 6 is an elevational view of the other end thereof;
FIG. 7 is an elevational view of the front lateral side, the elevational view of the rear lateral side being substantially a mirror image thereof; and,
FIG. 8 is a fragmentary top plan view similar to FIG. 3 with one of the velcro ankle straps in unfastened position.






FIG-1




FIG-2




FIG-5




FIG-3




FIG-6




FIG-4




FIG-7




FIG-8