

[54] FACSIMILE DEVICE

[75] Inventor: Kenji Hoshino, Tokorozawa, Japan

[73] Assignee: Data East Corporation, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 581,392

[22] Filed: Feb. 17, 1984

[30] Foreign Application Priority Data

Aug. 19, 1983 [JP] Japan 58-36143
 [52] U.S. Cl. D14/94
 [58] Field of Search D14/94, 1, 99; D16/27,
 D16/28, 29, 30, 31, 32, 38; D18/12, 22;
 358/286

[56] References Cited

U.S. PATENT DOCUMENTS

D. 211,354 6/1968 McFarland D14/94
 D. 218,170 7/1970 Kober D14/94
 D. 268,581 4/1983 Kikuchi D14/94
 D. 268,582 4/1983 Kikuchi D14/94
 D. 274,061 5/1984 Suzuki et al D14/94
 D. 280,508 9/1985 Nasui et al. D14/94

OTHER PUBLICATIONS

3 M Brochure, 9136 Desktop Digital Facsimile Transceiver.
 Omnifax G32 Brochure, Digital Desktop High-Speed Facsimile Transceiver.
 Omnifax Brochure.



Primary Examiner—Bernard Ansher
 Assistant Examiner—Theodore M. Shooman
 Attorney, Agent, or Firm—Townsend & Townsend

[57] CLAIM

The ornamental design for a facsimile device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a facsimile device showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a left side elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a bottom plan view thereof; and
 FIG. 7 is a top plan view showing the state of use in which the facsimile device is combined with an acoustic coupler.
 The broken line showing of the acoustic coupler in FIG. 7 is for illustrative purposes only and forms no part of the claimed design.






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7