

[54] COMBINED STEAM IRON SUPPORT,
WATER TANK AND CORD SUPPORT

[76] Inventor: Alfredo Cavalli, Via Galileo Galilei,
9, Pessano Con Bornago, (Milan),
Italy

[**] Term: 14 Years

[21] Appl. No.: 602,200

[22] Filed: Apr. 19, 1984

[30] Foreign Application Priority Data
Oct. 20, 1983 [IT] Italy 23303/83[U]

[52] U.S. Cl. D32/73

[58] Field of Search D32/73;
248/117.1-117.7; 38/77.6, 79, 96, 142

[56] References Cited
U.S. PATENT DOCUMENTS
D. 163,600 6/1951 Hebert D32/73
2,568,104 9/1951 Young 38/142 X
2,655,333 10/1953 Taylor 248/117.2

2,661,552 12/1953 Reichold 38/77.6
3,080,141 3/1963 Ricci 248/117.1 X
3,739,507 6/1973 Bilbao 248/117.2 X

FOREIGN PATENT DOCUMENTS
0075096 4/1984 Japan 38/77.3

Primary Examiner—Catherine E. Kemper
Attorney, Agent, or Firm—Cohen, Pontani & Lieberman

[57] CLAIM
The ornamental design for a combined steam iron sup-
port, water tank and cord support, as shown.

DESCRIPTION
FIG. 1 is a top plan view of a combined steam iron
support, water tank and cord support, showing my new
design;
FIG. 2 is a bottom plan view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

