

[54] TIRE REPAIR TOOL

[75] Inventors: Robert Flory, Weber Falls; Norman Bridge, Muskogee, both of Okla.

[73] Assignee: Bridge Products, Inc., Northbrook, Ill.

[\*\*] Term: 14 Years

[21] Appl. No.: 468,540

[22] Filed: Feb. 28, 1983

[52] U.S. Cl. .... D8/31; D8/107

[58] Field of Search ..... D8/14, 31, 32, 47, 89, D8/98, 107, 15, 42; 294/61, 26; 81/15.2, 15.5, 15.7, 15.8

[56] References Cited

U.S. PATENT DOCUMENTS

D. 194,834	3/1963	Parker et al. ....	D8/107 X
606,570	6/1898	McAllister .....	81/15.7
1,000,168	8/1911	Glanz .....	81/15.7

2,729,124	1/1956	Farandatos .....	D8/42 X
3,005,651	10/1961	Flaker .....	294/26
3,892,331	7/1975	Beck .....	220/96
4,205,565	6/1980	Smith .....	81/15.7

Primary Examiner—Susan J. Lucas  
Assistant Examiner—Clare E. Heflin  
Attorney, Agent, or Firm—Welsh & Katz, Ltd.


[57] CLAIM

The ornamental design for a tire repair tool, as shown and described.

DESCRIPTION

FIG. 1 is a side view of the tire repair tool showing our new design, the opposite side being a mirror image; FIG. 2 is a front view of the handle portion thereof; FIG. 3 is back view of the shank portion thereof; FIG. 4 is a front view of the shank portion thereof; and FIG. 5 is a perspective view thereof.

The shank portion of the tool is omitted in FIGS. 3 and 4 and the handle portion is omitted in FIG. 2 for illustrative purposes only.






FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5