

[54] HANDGRIP FOR RUNNER OR SIMILAR ARTICLE

[76] Inventors: Peter Z. Valentine, 55 Blanche St., Cambridge, Mass. 02139; Franco Vitaliano, 19 Arlington St., Boston, Mass. 02115; Ivor S. Smith, 575 Washington St., Brookline, Mass. 02146

[**] Term: 14 Years

[21] Appl. No.: 609,796

[22] Filed: May 14, 1984

[52] U.S. Cl. D21/191

[58] Field of Search D21/191, 192, 193, 195, D21/196, 197, 198, 199; 272/143, 68, DIG. 9

[56] References Cited

U.S. PATENT DOCUMENTS

3,557,776	1/1971	Boots	272/68
4,105,200	8/1978	Unger	272/68
4,278,248	7/1981	Kifferstein	272/68

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—Pennie & Edmonds

[57] CLAIM

The ornamental design for a handgrip for runner or similar article, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a handgrip for runner or similar article showing our new design; FIG. 2 is a top plan view thereof;

FIG. 3 is a side elevational view thereof, the side opposite being substantially a mirror image; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left end elevational view thereof; FIG. 6 is a right end elevational view thereof; FIG. 7 is a perspective view of a modified form of the design shown in FIGS. 1 through 6; FIG. 8 is a top plan view of a third modified form of the design shown in FIGS. 1 through 6; FIG. 9 is a side elevational view thereof, the side opposite being a mirror image; FIG. 10 is a bottom plan view thereof; FIG. 11 is a left end elevational view thereof; FIG. 12 is a right end elevational view thereof; FIG. 13 is a top plan view of a fourth modified form of the design shown in FIGS. 1 through 6; FIG. 14 is a side elevational view thereof, the side opposite being a mirror image; FIG. 15 is a bottom plan view thereof; FIG. 16 is a left end elevational view thereof; FIG. 17 is a right end elevational view thereof; FIG. 18 is a top plan view of a fifth modified form of the design shown in FIGS. 1 through 6; FIG. 19 is a side elevational view thereof, the side opposite being a mirror image; FIG. 20 is a bottom plan view thereof; FIG. 21 is a left end elevational view thereof; FIG. 22 is a right end elevational view thereof; FIG. 23 is a top plan view of a sixth modified form of the design shown in FIGS. 1 through 6; FIG. 24 is a side elevational view thereof, the side opposite being substantially a mirror image; FIG. 25 is a bottom plan view thereof; FIG. 26 is a left end elevational view thereof; and, FIG. 27 is a right end elevational view thereof.




FIG. 1




FIG. 7




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12



FIG. 13




FIG. 14



FIG. 15




FIG. 16



FIG. 17



FIG. 18




FIG. 19




FIG. 20




FIG. 21



FIG. 22




FIG. 23



FIG. 24




FIG. 25



FIG. 26



FIG. 27

