

[54] SPHYGMANOMETER

[75] Inventor: Norio Moro, Shibukawa, Japan

[73] Assignee: Nihon Seimitsu Sokki Co., Ltd., Shibukawa, Japan

[**] Term: 14 Years

[21] Appl. No.: 594,519

[22] Filed: Mar. 29, 1984

[30] Foreign Application Priority Data

Mar. 14, 1984 [JP] Japan 59-9845

[52] U.S. Cl. D24/21

[58] Field of Search D24/20-21, D24/23, 29, 30, 8, 17; 73/748-749, 731, 389; 128/662, 677-678, 680, 685, 645; 181/131

[56] References Cited

U.S. PATENT DOCUMENTS

D. 226,689 4/1973 Speidel D24/29

D. 269,905 7/1983 Tamm D24/8
D. 280,017 8/1985 Camens D24/17
3,896,791 7/1975 Ono 128/680

Primary Examiner—Wallace R. Burke
Assistant Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Armstrong, Nikaido, Marmelstein & Kubovcik

[57] CLAIM

The ornamental design for the sphygmanometer, as shown and described.

DESCRIPTION

FIG. 1 is a right side perspective view of a sphygmanometer showing my new design.
FIG. 2 is a front elevational view thereof.
FIG. 3 is a left side elevational view thereof.
FIG. 4 is a right side elevational view thereof.
FIG. 5 is a rear elevational view thereof.
FIG. 6 is a top plan view thereof.
FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG.5




FIG.6




FIG.7

