

United States Patent [19]

Masaki

[11] Patent Number: **Des. 286,159**

[45] Date of Patent: **** Oct. 14, 1986**

[54] **ELECTROPHOTOGRAPHIC COPIER**

[75] Inventor: **Nobuo Masaki, Tokyo, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **626,988**

[22] Filed: **Jul. 2, 1984**

[30] **Foreign Application Priority Data**

Jan. 7, 1984 [JP] Japan 59-126

[52] U.S. Cl. **D16/31**

[58] Field of Search D16/27-32;
355/3 R, 3 SH, 5-14 R, 14 SH, 18-19, 51,
64-65

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 245,612 8/1977 Zeuthen D16/31
D. 246,526 11/1977 Kurozumi D16/31
D. 270,452 9/1983 Sakurai D16/31

D. 278,152 3/1985 Hara D16/31
D. 278,246 4/1985 Masaki D16/31
D. 280,205 8/1985 Okuyama D16/31
D. 280,631 9/1985 Nakade D16/31
D. 280,632 9/1985 Nakade D16/31
D. 280,633 9/1985 Saito D16/31

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an electrophotographic copier, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an electro photographic copier showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a top and left front perspective view thereof with the platten and cover assembly offset to the right.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

