

[54] TIRE FOR A VEHICLE WHEEL

[75] Inventors: Edward P. Davis, Sutton Coldfield;
Michael J. Gallery, Cannock, both of
England

[73] Assignee: Dunlop Limited, England

[**] Term: 14 Years

[21] Appl. No.: 559,264

[22] Filed: Dec. 8, 1983

[30] Foreign Application Priority Data

Jun. 28, 1983 [GB] United Kingdom 1013789
[52] U.S. Cl. D12/146
[58] Field of Search D12/141-143,
D12/146-151, 137; 152/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 279,363 6/1985 Fukumoto et al. D12/143

OTHER PUBLICATIONS

1983 Tread Design Guide, ©1/83, p. 36, Goodyear

Eagle NCT Tire, second row up from bottom, center of
page.

1983 Tread Design Guide, ©1/83, p. 16, Centennial
Interceptor 70 Metric Tire, second row down from top
& second Tire in from right side of page.

1983 Tread Design Guide, ©1/83, p. 53, J. C. Penney
Mileagemaker Plus Tire, second row up from bottom,
left side of page.

1983 Tread Design Guide, ©1/83, p. 63, Samyang
Feltra Steel Radial 761 Tire, top left side of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Stevens, Davis, Miller &
Mosher


[57] CLAIM

The ornamental design for a tire for a vehicle wheel, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our design for a tire for
a vehicle wheel, it being understood that the tread de-
sign extends continuously around the circumference of
the tire;

FIG. 2 is a front elevation view thereof; and
FIG. 3 is a side elevation view thereof.






FIG 1




FIG 2




FIG 3