

- [54] ELECTRONIC SPHYGMOMANOMETER
- [75] Inventor: Hiroshi Nishibori, Osaka, Japan
- [73] Assignee: Sharp Corporation, Osaka, Japan
- [**] Term: 14 Years
- [21] Appl. No.: 552,167
- [22] Filed: Nov. 15, 1983
- [52] U.S. Cl. D24/21
- [58] Field of Search D24/8, 17, 21, 99;
D9/426; D10/46, 57, 75, 85, 100; D13/40-41;
128/900, 630, 635, 637, 660-663, 666-667, 672,
680-683, 687-689, 691, 693, 696, 698, 701, 706,
707, 713; 73/748-749, 750; 206/305-306;
D18/7

- [56] **References Cited**
- U.S. PATENT DOCUMENTS**
- D. 259,348 5/1981 Sakai et al. D18/7
- D. 263,136 2/1982 Gore D18/7
- D. 267,554 1/1983 Swinstead D10/75

- D. 273,370 4/1984 Eilert D10/75
- D. 274,936 7/1984 Bonney D24/17
- D. 277,133 1/1985 Houlihan D24/17
- 4,397,317 8/1983 Villa-Real 128/680


Primary Examiner—Wallace R. Burke
Assistant Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Flehr, Hohbach, Test,
 Albritton & Herbert


[57] CLAIM

The ornamental design for an electronic sphygmomanometer, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of an electronic sphygmomanometer showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a top plan view thereof; and
 FIG. 7 is a bottom plan view thereof.







FIG_1




FIG_2




FIG_3




FIG_4



FIG_5



FIG_6



FIG_7