

[54] CHILD SAFETY SEAT FOR VEHICLES

3,922,035 11/1975 Wener D6/333 X
4,033,622 7/1977 Boudreau D6/333 X

[76] Inventor: Juichiro Takada, 12-1, 3-Chome, Shinmachi, Setagaya-ku, Tokyo, Japan

Primary Examiner—Bruce W. Dunkins
Attorney, Agent, or Firm—Brumbaugh, Graves, Donohue & Raymond

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 603,555

The ornamental design for a child safety seat for vehicles, as shown and described.

[22] Filed: Apr. 24, 1984

DESCRIPTION

[30] Foreign Application Priority Data

Oct. 25, 1983 [JP] Japan 58-046008

[52] U.S. Cl. D6/333

[58] Field of Search D6/333, 334; 297/250, 297/253, 310, 329, 384

FIG. 1 is a front perspective view of a child safety seat for vehicles showing my design; FIG. 2 is a side elevational view; FIG. 3 is a front elevational view; FIG. 4 is a top plan view; FIG. 5 is a rear elevational view; FIG. 6 is a bottom plan view; and FIG. 7 is a front perspective view wherein the abdominal pad and strap system are shown in the disconnected position.

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 234,379 2/1975 Catelli D6/333 X
- D. 235,492 6/1975 Armstrong et al. D6/333
- D. 265,609 8/1982 Takada D6/333
- D. 278,483 4/1985 Takada D6/333

The side of the child safety seat not shown is a mirror image of the side shown in FIG. 3.




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7

