

[54] COMMUNICATION TERMINAL HOUSING

[75] Inventors: Cristian J. Felix, Flushing, N.Y.; Thomas J. Kelly, Colts Neck; Richard F. Nelson, Jr., Fair Haven, both of N.J.; Gordon E. Sylvester, Jamaica, N.Y.; Daniel W. Tyler, Middletown, N.J.

[73] Assignee: AT&T Information Systems Inc., Middletown, N.J.

[**] Term: 14 Years

[21] Appl. No.: 554,541

[22] Filed: Nov. 23, 1983

[52] U.S. Cl. D14/106; D14/101

[58] Field of Search D14/100, 101, 106, 107, D14/113, 114; 340/700, 711, 365 R; 358/254, 85; 312/7.2

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 227,899 7/1973 Genaro et al. D26/5 C
- D. 241,655 9/1976 Genaro et al. D26/14 A
- D. 246,651 12/1977 Morrison et al. D14/53
- D. 272,354 1/1984 Genaro et al. D14/113
- D. 279,375 6/1985 Genaro et al. D14/113

OTHER PUBLICATIONS

Computer Design, 11-1980, p. 54, Datagraphix® Model 132-1 Terminal.

Produce brochure of the 5420 Terminal manufactured by the Teletype Corporation.

Primary Examiner—Susan J. Lucas


Attorney, Agent, or Firm—Frederick B. Luludis

[57] CLAIM

The ornamental design for a communication terminal housing, substantially as shown and described.

DESCRIPTION

FIG. 1 is a left, front perspective view of a communication terminal housing embodying our new design; FIGS. 2, 3 and 4 are respectively front, left side and rear elevation views thereof; FIGS. 5 and 6 are respectively top and bottom plan views thereof; FIG. 7 is a left front perspective view thereof with the tiltable display being tilted to an alternate position; FIG. 8 is a left front perspective view of a second embodiment of our new design; FIGS. 9, 10 and 11 are respectively front, right side, and left side elevation views thereof; FIGS. 12 and 13 are respectively top and bottom plan views thereof; FIG. 14 is a rear view elevation thereof; FIG. 15 is a left, front perspective view of a third embodiment of our new design; FIGS. 16, 17 and 18 are respectively front, right side and left side elevation views thereof; FIGS. 19 and 20 are respectively top and bottom plan views thereof; FIG. 21 is a rear elevation view thereof; FIG. 22 is a left, front perspective view of a fourth embodiment of our new design; FIGS. 23, 24 and 25 are respectively front, right side and left side elevation views thereof; FIGS. 26 and 27 are respectively top and bottom plan views thereof; FIG. 28 is a rear elevation view thereof; FIG. 29 is a left, front perspective view of the communication terminal housing shown in FIG. 15 with the tiltable display being tilted to an alternate position. The right side of the first embodiment is identical to the right side of the second embodiment.






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7




FIG. 8

FIG. 9




FIG. 11




FIG. 10




FIG. 12




FIG. 13





FIG. 14






FIG. 15

FIG. 16




FIG. 18




FIG. 17




FIG. 19




FIG. 20





FIG. 21






FIG. 22

FIG. 23




FIG. 25




FIG. 24




FIG. 26




FIG. 27





FIG. 28






FIG. 29