

[54] COMBINED VEHICLE WARNING LIGHT AND ADJUSTABLE MOUNTING BRACKET THEREFOR

[75] Inventors: Steven R. Akiyama, Park Forest; Edward S. Stanuch, Oak Forest, both of Ill.

[73] Assignee: Federal Signal Corporation, Oak Brook, Ill.

[**] Term: 14 Years

[21] Appl. No.: 678,110

[22] Filed: Dec. 4, 1984

Related U.S. Application Data

[62] Division of Ser. No. 318,125, Nov. 4, 1981, abandoned.

[52] U.S. Cl. D10/114; D26/29; D26/63

[58] Field of Search D26/63, 28, 36, 24; 362/61, 83, 72, 227, 235, 296, 297, 341, 347, 348, 349; D10/114; 340/81 R, 84, 87, 90, 114 B, 114 R, 118

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 191,681 10/1961 Chase D10/114
- 2,665,373 1/1954 Rashke 362/349
- 2,891,235 6/1959 Halpert 340/81 R X
- 2,905,925 9/1959 Whiteneck 340/84

- 3,351,904 11/1967 Noruk 340/87 X
- 3,431,408 3/1969 Roosevelt 362/61
- 3,504,334 3/1970 Bailey D10/114 X
- 3,697,738 10/1972 Decker et al. 340/81 R X
- 3,706,882 12/1972 Eby 362/388
- 4,428,033 1/1984 McBride 362/398 X

OTHER PUBLICATIONS

Unity Automotive & Safety Lighting catalog C-143, 1978, p. 7, Beacon #26.

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Charles F. Pigott, Jr.

[57] CLAIM

The ornamental design for a combined vehicle warning light and adjustable mounting bracket therefor.

DESCRIPTION

FIG. 1 is a perspective view of a combined vehicle warning light and adjustable bracket therefore showing our new design;

FIG. 2 is an opposite side perspective view thereof in an inverted position;

FIG. 3 is a side elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a front perspective view of a second embodiment of our new design;

FIG. 6 is a side elevational view thereof.

Portions of a dashboard and windshield are shown in broken lines in FIGS. 1 and 2 respectively for illustrative purposes only.




Fig. 1.




Fig. 2.





Fig. 5.






Fig. 3.




Fig. 4.

Fig. 6.

