

[54] COMBINED REEL FEEDER MOUNTING RACK AND DETACHABLE FEEDER FOR USE IN PRINTED CIRCUIT ASSEMBLY MACHINES

[75] Inventor: Ronald J. Falk, Shoreview, Minn.

[73] Assignee: Micro Component Technology, Inc., St. Paul, Minn.

[**] Term: 14 Years

[21] Appl. No.: 573,385

[22] Filed: Jan. 24, 1984

[52] U.S. Cl. D15/199; D15/138

[58] Field of Search D15/122, 199, 138; 242/77.1, 77.3, 106; 29/742, 771, 783, 741; D16/38

[56] References Cited

U.S. PATENT DOCUMENTS

3,597,824	8/1971	Yoshida et al.	29/741
3,722,062	3/1973	Gharaibeh	29/783
4,000,653	1/1977	Booth	242/106
4,060,890	12/1977	Dechelette	29/742
4,196,512	4/1980	Roecks et al.	29/741

4,202,092	5/1980	Shibasaki et al.	29/741
4,205,806	6/1980	Fujimura	242/77.1
4,411,395	10/1983	Steffens	242/106

FOREIGN PATENT DOCUMENTS

2253978	5/1973	Fed. Rep. of Germany	29/741
---------	--------	----------------------------	--------

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Lawrence M. Nawrocki

[57] CLAIM

The ornamental design for a combined reel feeder mounting rack and detachable feeder for use in printed circuit assembly machines, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a combined reel feeder mounting rack and detachable feeder for use in printed circuit assembly machines showing my new design;


FIG. 2 is an enlarged left side elevational view thereof;

FIG. 3 is an enlarged top plan view thereof;

FIG. 4 is an enlarged bottom plan view thereof;

FIG. 5 is an enlarged front elevational view thereof;

FIG. 6 is an enlarged rear elevational view thereof.






Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6