

[54] **COMBINED CAMERA AND EYEGLASSES**  
[76] Inventor: **Carlos J. Johnson**, 219 33rd St., NE.,  
Washington, D.C. 20019  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **686,400**  
[22] Filed: **Dec. 26, 1984**  
[52] U.S. Cl. .... **D16/1; D16/2;**  
**D16/103**  
[58] Field of Search ..... **D16/103, 2, 1;**  
**354/81-82, 76, 293**

D. 265,479 7/1982 Yamazaki ..... D16/6  
1,480,821 1/1924 Henry ..... D10/68 X  
2,882,791 4/1959 Möller ..... D16/104 X  
2,990,765 7/1961 Winzenburg ..... 354/76 X  
3,769,663 11/1973 Perl ..... D16/103 X  
3,882,521 5/1975 Johannsen ..... 354/81 X

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Richard C. Litman


[56] **References Cited**  
**U.S. PATENT DOCUMENTS**


D. 130,310 11/1941 Monjar ..... D16/6 X  
D. 171,200 12/1953 Evans ..... D16/103 X  
D. 201,050 5/1965 Gieseking ..... D16/103  
D. 207,919 6/1967 Fai ..... D16/103  
D. 229,975 1/1974 Klugmann ..... D16/103  
D. 259,569 6/1981 Nishioka ..... D16/1  
D. 262,632 1/1982 Yamazaki ..... D16/1

[57] **CLAIM**  
The ornamental design for a combined camera and eyeglasses, as shown and described.


**DESCRIPTION**

FIG. 1 is a front elevational view of a pair of glasses incorporating a camera device;  
FIG. 2 is a right side elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof; and  
FIG. 5 is a top plan view thereof.  
The focus and shutter release controls are shown broken-away in FIGS. 1-4 to indicate indeterminate length.







*Fig. 1*




*Fig. 2*



*Fig. 3*



*Fig. 4*



*Fig. 5*