United States Patent [19]

Matsushiro

[11] Patent Number: Des. 287,037
[45] Date of Patent: ** Dec. 2, 1986

[54] CHANGEABLE ROBOT TOY

- [75] Inventor: Yukimitsu Matsushiro, Tokyo, Japan
- [73] Assignee: Kabushiki Kaisha Matsushiro, Japan
- [**] Term: 14 Years
- [21] Appl. No.: 603,764
- [22] Filed: Apr. 13, 1984

DESCRIPTION

FIG. 1 is a front perspective view of a changeable robot toy showing my new design.
FIG. 2 is a rear perspective view thereof.
FIG. 3 is a front view.
FIG. 4 is a rear view.
FIG. 5 is a top plan view.
FIG. 6 is a bottom plan view.
FIG. 7 is a left side view.
FIG. 8 is a left side view of a transitory stage to an airplane.
FIG. 9 is a left side view of a further transitory stage

[56]

÷

References Cited

U.S. PATENT DOCUMENTS

D. 278,643	4/1985	Ogawa D21/150
		Ohno D21/150
4,206,564	6/1980	Ogawa 446/94
4,391,060	7/1983	Nakane 446/97
4,543,073	9/1985	Matsuda 446/487

Primary Examiner—Melvin B. Feifer Attorney, Agent, or Firm—Lowe, Price, LeBlanc, Becker & Shur

[57] **CLAIM**

The ornamental design for a changeable robot toy, as shown and described.

thereof.

FIG. 10 is a front view of a still further stage.
FIG. 11 is a front perspective view of a further transitory stage to an airplane.
FIG. 12 is another front perspective view of a further transitory stage thereof.
FIG. 13 is a left side view of a further transitory stage.
FIG. 14 is a rear view of FIG. 13.
FIG. 15 is a perspective view of a changeable robot toy

converted to an airplane.

FIG. 16 is a top plan view thereof.

FIG. 17 is a front perspective view of another embodiment of the changeable robot toy of FIG. 1.

FIG. 18 is a front perspective view of still another embodiment of the changeable robot toy of FIG. 1.



. •

.

.

Sheet 1 of 9 Des. 287,037 U.S. Patent Dec. 2, 1986



· · ·

.

.

. .

•

.

.

•

.

.

4

•

•

-

.

.

. .



· . . .

.

•

.

· · ·

Sheet 2 of 9 Des. 287,037 U.S. Patent Dec. 2, 1986



. . .

.

•

. . .

· .



•

.

.

.

. · · ·

U.S. Patent Dec. 2, 1986

Sheet 3 of 9 Des. 287,037

· · ·

. .

. . . -

.



·.



FIG. 5

.

•

•

.

•

•

.

· · -

•

· · ·

.

. •

.



FIG. 6

. .

. .

•

.

.

.

. • ·

Sheet 4 of 9 Des. 287,037 U.S. Patent Dec. 2, 1986

.



. .

. . . •

•



-

 \bullet

U.S. Patent Dec. 2, 1986

Sheet 5 of 9 Des. 287,037

 \mathcal{F}

.

• .



.

•



•

U.S. Patent Dec. 2, 1986

4

5

.

Sheet 6 of 9 Des. 287,037



FIG. 11

.

.

.

.

.

-

· ·

•



FIG. 12

.

Sheet 7 of 9 Des. 287,037 U.S. Patent Dec. 2, 1986



•

-

.

.

.

.

•

•

.

<u>.</u>

FIG. 13

.

.

-

.

.

.

. . . • .

. .

. . . .

.

.



FIG. 14 . .

. . . .

.

.

· · ·

-

.

.

Sheet 8 of 9 Des. 287,037 **U.S. Patent** Dec. 2, 1986



FIG. 15



¥

•

.

· · ·

Sheet 9 of 9 Des. 287,037 **U.S. Patent** Dec. 2, 1986



.



.

.

.

. -



. •

. . .

. .

. . . .

.

.

۲

ί.

.

.

.