

[54] PROGRAMMABLE CONTROLLER

[75] Inventors: Tsukasa Saiki, Nakajo; Nobuyuki Kajima; Ryouichi Abe, both of Sibata; Tatsuo Hujiwara, Nakajo, all of Japan

[73] Assignee: Hitachi, Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 658,914

[22] Filed: Oct. 9, 1984

[52] U.S. Cl. D13/12

[58] Field of Search D13/2-3, D13/11-13, 32, 35, 38, 40-41; D24/8, 17, 23, 26, 29, 36, 99; D10/5, 46, 75, 81, 104, 106, 121; D18/1, 6, 7; D14/1-3, 6, 52, 92, 99; 340/870.02, 825.6; 335/281; 361/331-332, 334, 346-348, 350, 356, 358, 366, 380, 390, 392, 394; 174/50, 52 R; 307/24, 31; 200/293-294, 296-297, 308, 329, 331, 333, 340; 220/3.2-3.3, 3.8-3.9, 400; 128/419 R; 364/700, 706, 708, 900; 235/66

[56] References Cited
U.S. PATENT DOCUMENTS

D. 278,710 5/1985 Shimizu et al. D13/12

Primary Examiner—Catherine E. Kemper
Assistant Examiner—Ruth E. Takemoto
Attorney, Agent, or Firm—Antonelli, Terry & Wands

[57] CLAIM

The ornamental design for a programmable controller, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a programmable controller showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left side elevational view thereof; FIG. 7 is a rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

